Appl. No.: 10/037,849 Atty. Docket No. CM2464 Amdt. dated May 19, 2004 Reply to Office Action of 03/09/2004 Customer No. 27752

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

Claims 1-10 (canceled)

- 11. (Amended) A method of dry-wrinkle resisting clothing comprising the step of applying a [[A]] fabric treating composition comprising an amphoteric polymer, formulated at or around the isoelectric point of said polymer, to said clothing.
- 12. (Amended) The method A composition according to Claim 11, wherein said amphoteric polymer comprises a cationic moiety and an anionic moiety, and the cationic moiety comprises an ammonium group, and the anionic moiety comprises a carboxylate group.
- (Amended) The method A-composition according to Claim 12, wherein said amphoteric
  polymer is a poly(vinylamine-co-acrylic acid).
- 14. (Amended) The method A composition according to Claim 13, wherein the vinylamine and acrylic acid monomers are present in a molar ratio of from about 90:10 to about 40:60.

Claims 15-23 (Canceled)

- 24. (New) The method according to Claim 11, further comprising a step of ironing.
- (New) The method according to Claim 11, wherein said step of applying said composition comprises spraying said composition.
- 26. (New) The method according to Claim 11, wherein said step of applying said composition comprises delivering said composition during a rinse of a laundry cycle.

Appl. No.: 10/037,849 Atty, Docket No. CM2464 Amdt. dated May 19, 2004 Reply to Office Action of 03/09/2004 Customer No. 27752

74P&G

- 27. (New) A method of in-wear wrinkle resisting clothing comprising the step of applying a fabric treating composition comprising an amphoteric polymer, formulated at or around the isoelectric point of said polymer, to said clothing.
- (New) The method according to Claim 27, wherein said amphoteric polymer comprises a 28. cationic moiety and an anionic moiety, and the cationic moiety comprises an ammonium group, and the anionic moiety comprises a carboxylate group.
- (New) The method according to Claim 28, wherein said amphoteric polymer is a 29. poly(vinylamine-co-acrylic acid).
- (New) The method according to Claim 29, wherein the vinylamine and acrylic acid 30. monomers are present in a molar ratio of from about 90:10 to about 40:60.
- (New) The method according to Claim 27, further comprising a step of ironing. 31.
- (New) The method according to Claim 27, wherein said step of applying said composition 32. comprises spraying said composition.
- (New) The method according to 27, wherein said step of applying said composition 33. comprises delivering said composition during a rinse of a laundry cycle.